

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box. 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. FILING DATE 10/674,743 09/29/2003 SPNE0002 4211 David Moyer **EXAMINER** 22862 7590 06/01/2005 **GLENN PATENT GROUP** ROJAS, BERNARD 3475 EDISON WAY, SUITE L ART UNIT PAPER NUMBER MENLO PARK, CA 94025

2832
DATE MAILED: 06/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		\mathcal{L}	h.
Office Action Summary	Application No.	Applicant(s)	
	10/674,743	MOYER ET AL.	
	Examiner	Art Unit	
	Bernard Rojas	2832	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with th	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	I36(a). In no event, however, may a reply be by within the statutory minimum of thirty (30) will apply and will expire SIX (6) MONTHS fr e, cause the application to become ABANDO	timely filed days will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).	
Status			
 1) ⊠ Responsive to communication(s) filed on 01 № 2a) ⊠ This action is FINAL. 2b) ☐ This 3) ☐ Since this application is in condition for allowarclosed in accordance with the practice under № 	s action is non-final. nce except for formal matters,		
Disposition of Claims			
4) ☐ Claim(s) 1-41 is/are pending in the application 4a) Of the above claim(s) 1-22,28,32,34 and 3 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 23-27,29-31,33 and 36-41 is/are reje 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	<u>5</u> is/are withdrawn from conside	eration.	
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	cepted or b) objected to by the drawing(s) be held in abeyance. Stion is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d)	l.
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Applic prity documents have been rece u (PCT Rule 17.2(a)).	ation No ived in this National Stage	
•			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summ Paper No(s)/Mai 5) Notice of Inform 6) Other:		

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 23-26, 29-31, 33, 36, 37, 40 and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pischinger [US 6,066,999] in view of Yanai [US 6,634,327].

Claim 23, Pischinger discloses a valve system [figure 3], comprising:

a valve assembly [4] linearly movable between a closed position and an open position;

a valve spring [6.1] which is compressed by the valve assembly when the valve assembly is located in the open position, and is uncompressed when the valve assembly is located in the closed position;

a disable spring [6.2] which is compressed by the valve assembly when the valve assembly is located in the closed position, and is uncompressed when the valve assembly is located in the open position;

at least one electromagnet [2.1, 2.2, 3.1, 3.2]

a clapper [4] affixed to the valve assembly and movable in relation to the electromagnet.

means for providing energy [8] to each of at least one of the electromagnets for any of attracting the clapper and repelling the clapper;

wherein the energy means provides energy [to braking coils 3.2 and 3.2] to decrease a local magnetic flux to repel the clapper and provide a soft landing at any of the closed position and the open position [col. 2 lines 10-36].

Pischinger fails to teach the use of permanent magnet to latch the clapper in any of the closed position and the open position.

Yanai discloses a valve system [figure 1], comprising a valve assembly [4] linearly movable between a closed position and an open position; with a valve spring [14] and a disable spring [24], at least one electromagnet [30], at least one permanent magnet [38m, 36m] and a clapper [34] affixed to the valve assembly and movable in relation to the electromagnet and the permanent magnet; wherein the magnetic field from at least one of the permanent magnets provides an attractive latching force to the clapper when the valve assembly is in any of the closed position and the open position', and [col. 5 lines 20-35, col. 6 lines 48-55].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the latching permanent magnets of Yanai with the valve assembly of Pischinger in order to create a valve that can be latch in either the open of closed position without the need of an addition coil current [col. 5 lines 20-35].

Claim 24, Pischinger discloses that the means for providing energy to at least one of the electromagnets is controllable to increase a local magnetic field [col. 6 lines 48-55]

Claim 25, Pischinger discloses the valve system of Claim 23, wherein the means for providing energy to at least one of the electromagnets is controllable to decrease a local magnetic filed [col. 6 lines 48-55].

Claim 26, Pischinger discloses the valve system of Claim 23, wherein the energy means is controllable to provide energy to a single of the electromagnets for both attracting the clapper and repelling the clapper during a single movement toward any of the closed position and the open position [col. 5 line 20 to col. 6 line 55].

Claims 29 and 30, Pischinger discloses the claimed valve system with the exception of the composition of the permanent magnet. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a permanent magnet of neodymium or samarium cobalt in order to increase the magnetic force of the magnet while reducing its size.

Claim 31, Pischinger discloses the claimed valve system with the valve spring being isolated from the valve at the closed position and the disable spring being isolated from the valve at the open position [figure 3].

Claim 33, Yanai discloses the valve system of Claim 23, wherein both a north pole of said permanent magnet and a south pole of said permanent magnet are used to attract or repel said electromagnet [col. 4 line 60 to col. 5 line 38].

Claim 36 Pischinger discloses the claimed valve system with the exception of the valve spring and the disable spring each have a different rate of compression. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use springs with different rates of compression in order to change the operating characteristics of the clapper such as the bias and the response time.

Claim 37, Pischinger discloses the valve system of Claim 23, further comprising: an electromagnet core [A, B].

Claim 40, Pischinger discloses the claimed valve system with the exception of wherein the valve spring and the disable spring have different lengths. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use springs of different length in order to change the operating characteristics of the clapper such as the neutral position and the response time.

Claim 41, Pischinger discloses the claimed valve system with the exception of wherein the valve spring and the disable spring have different masses. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use springs of different mass in order to change the operating characteristics of the clapper such as the spring constant, the actuation energy required and the response time.

Claims 23 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pischinger [US 6,066,999] in view of Lequesne [US 4,829,947].

Art Unit: 2832

Claim 23 and 27, Pischinger discloses a valve system [figure 3], comprising:

a valve assembly [4] linearly movable between a closed position and an open position;

a valve spring [6.1] which is compressed by the valve assembly when the valve assembly is located in the open position, and is uncompressed when the valve assembly is located in the closed position;

a disable spring [6.2] which is compressed by the valve assembly when the valve assembly is located in the closed position, and is uncompressed when the valve assembly is located in the open position;

at least one electromagnet [2.1, 2.2, 3.1, 3.2]

a clapper [4] affixed to the valve assembly and movable in relation to the electromagnet.

means for providing energy [8] to each of at least one of the electromagnets for any of attracting the clapper and repelling the clapper;

wherein the energy means provides energy [to braking coils 3.2 and 3.2] to decrease a local magnetic flux to repel the clapper and provide a soft landing at any of the closed position and the open position [col. 2 lines 10-36].

Pischinger fails to teach the use of permanent magnet to latch the clapper in any of the closed position and the open position.

Lequesne discloses a valve system with a single permanent magnet that provides the attractive latching force to the clapper when the valve assembly is in any of the closed position and the open position [a permanent magnet clapper].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a magnet armature in order to generate strong repulsion forces at the beginning of the armature motion [col. 1 lines 49-51].

Claims 38 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pischinger [US 6,066,999] in view of Yanai [US 6,634,327], as applied to claim 23 above, in view of Smith et al. [US 6,798,323].

Claim 38, Pischinger in view of Yanai discloses the claimed valve system with the exception of the clapper being made of using a laminated core.

Smith et al. discloses an electromagnet with a laminated core [abs].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the laminated core of Smith et al. in the valve system of Pischinger and of Yanai in order to reduce eddy currents in the core.

Claim 39, Pischinger in view of Yanai discloses the claimed valve system with the exception of the clapper being made of using a laminated clapper.

Smith discloses an electromagnet with a laminated armature [clapper] [abs].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the laminated armature [clapper] of Smith in the valve system of Pischinger and Yanai in order to reduce eddy currents in the armature.

Response to Arguments

Applicant's arguments with respect to the pending claims have been considered but are most in view of the new ground(s) of rejection.

Page 8

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bernard Rojas whose telephone number is (571) 272-1998. The examiner can normally be reached on M-F 8-4:00), every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin G. Enad can be reached on (571) 272-1990. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/674,743

Art Unit: 2832

Page 9

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bernard Rysin Br

> 5p6-AM2832 J/26/05